

### For Android™ 11

# Enterprise Mobility **PM86** User Manual

Google, Android, Google Play and other marks are trademarks of Google LLC.

Copyright © 2023. Point Mobile Co., Ltd. All rights reserved

### Instruction

This manual provides information about basic features and using the PM86. Please read this manual carefully before using your useful handheld terminal.



Note: Screenshots in this manual may differ from actual screens.

#### **Revision History**

Revision	Date	Description
V1.0	14 Apr 2023	Initial release

# Instruction

### PM86 SKUs

The contents of this manual can cover the following SKUs.

SKU	Part Number	Scanner	Front Camera	Wireless	Etc.
SKU1	PM86X3Z03DJE07	N3603			
SKU1-1	PM86X3Z03DJE26	N3603	0	WiFi	
SKU2	PM86X3Y03DJE07	N6703			4G/64G RAM/Flash
SKU3	PM86X6Z03DJE07	N3603			NFC
SKU3-1	PM86X6Z03DJE26	N3603	0		Android 11 (GMS) BLE Beacon
SKU4	PM86X6Y03DJE06	N6703	0	LTE, WiFi	
SKU5	PM86X6803DJE26	N6803FR	0		
SKU6	PM86X6Y03DJE08	N6703	0		

NSTRUCTION1
Revision History1
PM86 SKUs2
GETTING STARTED7
Device Parts7
Product Standard Accessories9
Install SD & SIM & SAM cards10
Card slot cover11
Install SD card12
Install SIM card13
Install SAM card14
Install & Remove Battery15
Install the battery15
Remove the battery16
Battery hot swap17
Charge the Device17
Battery specification17
Charging temperature17
Charge with power adapter18
Charging Cradle19
LED Indicator
Turn On / Off the Device21
Use a Touch Screen22
Controlling the touch screen22
System navigation24
Navigation bar (Software button)24
Gesture Navigation


LEARNING THE BASICS	26
Setup Wizard	26
Home Screen	27
Status bar	28
Status icons	28
Notification icons	29
Notification panel	29
Quick setting panel	
Apps & Widget	31
App folder	31
App drawer	
Favorites tray	
Organize app in Home screen	
Widget	
Call	35
Making a call	35
Answering a call	
Contacts	
Add a contact	
Add a contact via dialer	
Add a contact via contacts app	
Contact detail	
Message	40
MTP Connection with PC	41
Manage the Files	42
Lock the Screen	44
Settings	45
Adjust display brightness	45
Adjust sound	45

Adjust font size	46
USING THE BUTTONS	47
Screenshot	47
Program buttons	47
CAMERA	48
SCANNER	
Turn on / off the Scanner	49
ScanSettings	50
Basic	50
Options	51
Notification	52
Wedge	53
Extended wedge	54
Symbologies	58
About	58
Scan a Barcode	59
N3603, N6703 Scanner SKU (SKU1 ~ 4, SKU6)	59
N6803FR Scanner SKU (SKU5)	59
ScanDemo	60
WIRELESS	61
Mobile Network	61
Wi-Fi	62
Bluetooth	63
Turn on / off	63
Pair and Connect	63
Unpair and Disconnect	64

Change the Bluetooth device details	65
BLE Beacon	65
NFC	66
SYSTEM MAINTENANCE	67
System Information	67
On Settings	67
On EmKit	67
Check Device Health	68
OS Update	69
OS update via storage	69
OS update via OTG port	70
OS update via FOTA	70
Factory Data Reset	72
Factory data reset via Settings app	72
Factory data reset via recovery mode	73
ACCESSORIES	74
SAFETY INFORMATION	75
Battery Safety Information	75


#### **Device Parts**

Figure 1 PM86 front + left view



No	Name	Description	
1	Receiver	Use with making a phone call	
2	2 LED indicator Indicate the power status and notification. Find more details in LED indicator		
3	Audio jack	Connect headset	
4	Power button	Turn on/off the device	
5	Scan button (Left)	Scan a barcode by pressing (Programmable button)	
6	Microphone	Use for collecting sound	
7	I/O connector for cradle	Connector for charging and communication with cradle	
8	Speaker	Ring system sound	
9	Touch screen	Displays all operating screen	
10	Front camera	Take a picture (only for SKU 1-1, 2-1, 4~6)	

#### Figure 2 PM86 rear + right view



No	Name	Description
11	11   Rear I/O connector   Connector for gun type accessories	
12	Hand strap hole	Mount hand strap
13	Battery release button	Press the buttons in to release the battery
14	Scanner	Scan a barcode
15	Rear camera & Flashlight	Take a picture & Use flashlight in camera or torch mode
16	Volume buttons	Control the volume (Programmable button)
17	Scan button (Right)	Scan a barcode by pressing (Programmable button)
18	Battery	Provide power (battery and battery cover are combined)
19	USB connector	USB Type C connector for charging and data communication

### **Product Standard Accessories**

The following items are in the product box.

Accessory	Name
	Battery pack
	5V 2A power adapter
	AC plug
	USB type C cable
	LCD protection film
	Hand strap

Note: The images may differ from the actual accessory.

i.


#### Install SD & SIM & SAM cards

PM86 supports

- microSD card
- Nano SIM card LTE SKU (SKU3 ~ 6) only
- SAM card SKU 6 only

You can find the card slots when removing the battery. Depending on SKU, the equipped card slots are different. Refer to the following table.

Figure 3 PM86 Card Slots



Wi-Fi SKU (SKU 1~2)	LTE SKU (SKU 3~5)	LTE + SAM SKU (SKU 6)
		₩A2
Micro	Micro	

#### Card slot cover

You must open the card slot cover to install or remove the cards. The slot cover protects the device from water, dust, etc.

To open the cover, pull it out using the handle on the right side.

After installing or removing cards, place the cover on the card slot(s) and push the edge to close firmly.



Notice: Do not throw away the cover. It affects device sealing performance against water, dust, etc.





Figure 4 Card slot cover

#### Install SD card


- 1. Remove the battery and open the card slot cover.
- 2. Gently slide the cardholder left, and swing upwards to open the holder.

Figure 5 Open SD cardholder




3. Put the SD card you prepared with the contacts facing down.

Figure 6 Place SD card



4. Close the holder down and gently slide it right to lock the holder.

Figure 7 Close SD cardholder




5. Close the card slot cover firmly.

#### Install SIM card


- 1. Remove the battery and open the card slot cover.
- 2. Gently slide the cardholder left, and swing upwards to open the holder.

Figure 8 Open SIM cardholder




3. Put a nano SIM card you prepared with the contacts facing down.

Figure 9 Place nano SIM card



4. Close the holder down and gently slide it right to lock the holder.

Figure 10 Close SIM cardholder



5. Close the card slot cover firmly.


#### **Install SAM card**




**Note:** PM86 SKU 6 includes two SAM slots, on the top and bottom. All directions to open/close the cardholders are opposite each other. In this chapter, the figures indicating the **top** SAM slot are used.

- 1. Remove the battery and open the card slot cover.
- 2. Gently slide the cardholder up, and swing upwards to open.


Figure 11 Open SAM cardholder






3. Put the SAM card you prepared with the contacts facing down.

Figure 12 Place SAM card



4. Close the holder down and gently slide it down to lock the holder.

Figure 13 Close SAM cardholder



5. Close the card slot cover firmly.


#### **Install & Remove Battery**

#### Install the battery



*Caution:* Make sure the cardholders are completely closed before installing the battery. It may damage the device if you force to install the battery while the cardholders are not closed.


Insert the battery from the bottom side (opposite side of the battery release buttons).
 Figure 14 Installing battery - 1



2. Push the battery down until it clicks.

Confirm that the battery release buttons are completely outward.


Figure 15 Installing battery - 2



#### **Remove the battery**


1. Hold the battery release buttons and press in.

Figure 16 Removing battery - 1



2. While pressing the battery release button in, pull the battery up.

Figure 17 Removing battery - 2



#### Battery hot swap

PM86 supports the Battery hot swap mode which allows you to replace the battery without turning off the device.

When the battery is removed from the device, the display turns off and the device enters Hot swap mode (Red LED will be turned on. Refer to <u>LED Indicator</u> chapter for more detail.)

Once you replace the battery to a new one, the device will come back to normal operation mode without booting process.

#### **Charge the Device**

Before using PM86, charge the device enough to use. PM86 can be charged with power adapter or charging cradle. For best charging performance and safety, follow the normal <u>charging temperature</u>.



*Caution:* Always use an original charger and cable from Point Mobile. Other chargers and cables may damage PM86. Also, make sure the charger and cables are not wet. Follow the <u>Battery Safety Information</u> for safety of using the battery.

#### **Battery specification**

- Capacity:
  - Standard battery: 4,080mAh
  - Extended battery: 5,800mAh
- Rechargeable & Removable battery


#### **Charging temperature**

**Charge devices and batteries in temperatures from 0 °C to 45 °C.** At out-of-normal range temperatures, the PM86 may stop charging for safety, and the power LED blinks red.

#### Charge with power adapter

- 1. Assemble the country plug, power adapter and USB type C cable.
- 2. Connect the cable to the USB connector on the right side of PM86.
- 3. Provide power by plugging the power adapter to the wall socket.


Figure 18 PM86 charging with power adapter



#### **Charging Cradle**

There are two types of charging cradle for PM86. Single slot (ethernet) cradle (SSC / SEC), 2 slot cradle (PM85 2SC), 4 slot battery cradle (4SBC). The cradles are sold separately.


When the device is charging via cradle, the charging animation as below is displayed on the screen. (Refer to <u>Charge with Cradle</u> for more detail)



### **LED Indicator**

PM86 has 2 LED indicators above the screen.

Figure 19 PM86 LED indicators




No	Indicator	Status	Indication
1	Power LED	Solid green	Device is completely charged
		Solid red	Device is charging / Battery is low
		🔅 Blinking red	Charging temperature is out-of-normal range (Refer to <u>Charging temperature</u> ) / Battery is very low
		Alternately blinking red & green	Cannot recognize the battery
		🔅 Blinking blue	Notification existing
2	Notification LED	🔅 Red flash	Barcode reading failed
		🔅 Blue flash	Barcode reading success

### Turn On / Off the Device

To turn on the device,

- Press and hold the power button on the left side of the PM86 until **SMART BEYOND RUGGED** logo displays on the screen.

Figure 20 PM86 power button



To turn off the device,

- Press and hold the power button when the display is on until the power menu is shown. Then, tap **Power > Power off**.

Figure 21 Power menu - Power off



#### Use a Touch Screen

#### Controlling the touch screen

Gesture	Description
	<b>Tap</b> One-finger press
	<b>Double tap</b> One-finger press, lift, one-finger press, lift for zoom in action
	Long-press One-finger press, wait, lift for select action
	<b>Drag, Swipe, or Fling</b> One-finger press, move, lift for scroll or tilt action
	Long-press drag One-finger press, wait, move, lift for pick up and move, or select multiple items action


Action	Description	
$\leftarrow \bigcirc \rightarrow \\ \downarrow$	<b>Scroll</b> Vertical or horizontal swipe in a single direction	
	<b>Pinch Open &amp; Close</b> Two-finger press, move outwards and inwards, lift for <b>zoom in / out</b> action	
	Rotate When PM86 is turning sideways, screen orientation is changing	

#### System navigation

#### Navigation bar (Software button)

The navigation bar is enabled as a default, and it is located at the bottom of the screen. The app overview button, home button, and back button are placed on the bar in order.

Figure 22 Navigation bar



Shape	Button	Function
	Back button	Tap to go back to previous screen.
	Home button	Tap to go to home screen. Long-press to launch the Google Assistant.
	Recent apps button	Tap to see the recently used app list.


#### **Gesture Navigation**

If you are unfamiliar with the navigation bar or you want to see the screen with a wider screen, hide the navigation bar. The functions provided by the software buttons on the navigation bar can be used by using specific gestures.

To hide the navigation bar, navigate to **Setting** (2) > **System** (1) > **Gesture** > **System** navigation and change the setting to **Gesture** navigation. Then, the navigation bar will be hidden.



Note: To use the navigation bar again, change the setting to 3-button navigation.



Find the gestures and matched function in the table below.

Function	Gesture	
Open recent apps screen	Swipe up from the bottom of the screen, hold, then release.	
Go to home screen	Swipe up from the center-bottom of the screen.	
Back to previous screen	Back to previous screen Swipe from the left or right edge of the screen.	
Launch Google Assistant Swipe up from either the left-bottom or right-bottom.		

Figure 24 Setup Wizard (main)

#### **Setup Wizard**

When PM86 starts very first time or boot after factory reset, Setup Wizard is launched. Following the steps on the screen, set system language, Google account, Wi-Fi connection and copy the data, etc.

Some settings can be skipped, but there may be some restrictions on the use of the system.




Figure 25 Setup Wizard (Google account)

#### **Home Screen**

Home screen is a screen displayed after Setup Wizard or pressing the Home button.



No ltem Description 1 Status bar Indicates device status and notification. Tap to run the application 2 App Long-press to see the application's options 3 Google search Search an item with Google 4 Favorites tray Place the frequently used apps 5 App folder Apps are organized in the folder. Tap to open the App folder

#### Status bar

Time, status icons, and notification icons are on the Status bar.

#### Status icons

lcon	Description	lcon	Description
LTE	LTE connected		Strong signal
3G	3G connected		Weak signal
E	EDGE connected	×	Connection issue
LTE⁺⊿	LTE+ (LTE CA) connected	X	Data disabled
0	Hotspot enabled	Δ	No data connection
¥	Airplane mode	*	Connected to a Bluetooth device
▼	Connected to a Wi-Fi network	\$▼	Wi-Fi data communication
	Battery is full		Battery is low
Ĺ	Battery is critical low	?	Cannot recognize battery
7	Battery is charging	Ũ	Alarm is set
•	Location service turned on	u Du	Vibrate mode
9	Speakerphone turned on	<i>¥</i>	Phone mic is mute
<u>[II]</u>	Scanner turned on	R	Scanner turned on, but trigger turned off

#### **Notification icons**


lcon	Description	lcon	Description
ĸ	Missed call		New SMS or MMS message
	New Email	07	Connected to VPN network
	Upcoming event		Other input method available
<b>±</b>	File uploaded	<b>⊥</b>	File downloaded
	File copied	Ŷ	OTG device connected
•	There are more notifications		

#### **Notification panel**

Notification panel displays a list of all notifications. Tap a notification to respond.

To open the Notification panel, drag the Status bar down. To close the panel, swipe it up.

Figure 27 Notification panel



#### **Quick setting panel**

Quick setting panel contains some frequently used settings such as Wi-Fi, Bluetooth, etc.

To use the Quick setting panel,

- 1. Open the Notification panel.
- 2. Drag down the Notification panel.
- 3. Tap a setting icon to enable / disable the setting or long-press an icon to see more detail.

Figure 28 Quick setting panel Ô  $\widehat{\phantom{a}}$ 0 \* pointmobile\_a NFC Bluetooth 0 Θ  $\sim$ Do Not Disturb Location Auto-rotate •• ۲ M

To edit the configuration of Quick setting panel,

- 1. Tap 🥒 on the bottom of the panel.
- 2. By long-press and dragging the icon, customize the configuration of the panel.

#### Apps & Widget

#### App folder


To create the app folder, long-press an app icon and drag it to another app icon.

Figure 29 Create app folder



To change the folder name, tap the **Edit Name** and input a new name.

Figure 30 Change app folder name




#### App drawer

All installed apps are listed alphabetically in App drawer.

- To open the App drawer, swipe up the Home screen.
- To close the App drawer, swipe down the Home screen.

Figure 31 App drawer



#### **Favorites tray**

To organize an app in the Favorites tray,

- 1. Long-press an app icon from the App drawer. Then, drag it slightly until the Home screen is shown.
- 2. Place the app icon in the Favorites tray.

Figure 32 Add an app to Favorites tray



#### Organize app in Home screen

To organize an app in the Home screen,

- 1. Long-press an app icon from the App drawer. Then, drag it slightly until the Home screen is shown.
- 2. Place the app icon where you want.

(To cancel to place the app, drag it to Cancel area and release.)

Figure 33 Place app in Home screen



To remove an app or widget in the Home screen,

- 1. Long-press an app icon or widget.
- 2. Drag it to **Remove** area and release.

Figure 34 Remove from Home screen



#### Widget

To add a widget in the Home screen,

- 1. Long-press the empty space of the Home screen.
- 2. In three menus, select Widgets.

Figure 35 Widget menus

Ø	Wallpapers
誝	Widgets
£	Home settings

- 3. Among the list, tap and hold a widget you want to add.
- 4. Place the widget to the Home screen by dragging.



**Note:** To remove an app or a widget from the Home screen, long-press and drag it to Remove area.

Figure 36 Remove from Home screen



### Call



Note: Calling is only available on LTE SKU (SKU3 ~ 6).

To make or receive a phone call, SIM card is required. Insert SIM card to PM86 first regarding <u>Install</u> <u>SD & SIM & SAM cards</u>.

#### Making a call

- 1. Tap **Phone C** from Home screen or App drawer.
- 2. Tap ito open a dialer.
- 3. Input a phone number.

Figure 37 Dialer

ALL CONTACTS			
	G Gil Dong Hong 070-1234-1234		
2+ Cre	ate new contact		
<mark>음</mark> * Add	Add to a contact		
:	070-1	$\langle X \rangle$	
1	2 ABC	3 DEF	
4	5 JKL	б	
7 PQRS	<b>8</b> TUV	9 wxyz	
*	0 ,	#	
	R.		

4. Tap  $\bigcirc$  or  $\checkmark$  next to a searched number to make a call.

5. Control the Tap 🕋 to hang up the phone.

Figure 38 Calling screen				
1:52 📞	3	но * LTE 🖌 🗎 93%		
Calling Gil Dong Hong Mobile 070-1234-1234				
S.		4)		
Mute	Keypad	Speaker		
R+				
Add call				
	60			

lcon	Function Name	Description
×.	Mute	Mute microphone
	Keypad	Open the keypad
ょ	Speaker	Speakerphone mode
<u>و</u> +	Add call	Add another call (Enable when receiver answer the phone)

### Answering a call

Check the caller's name and number and tap **ANSWER** button to answer the phone call. Or tap **DECLINE** button to decline the phone call.

Figure 39 Receiving call

Gil Dong Hong Incoming call	G
DECLINE	ANSWER
0 M 0 0	۱
	EmKit Play Store
<b>C D</b>	III 🔁 🧿
G	Ų

### Contacts

#### Add a contact

Add a contact via dialer

- 1. Navigate to dialer through Phone, and enter the number.
- 2. Tap Create new contact or Add to a contact to save the number.
- 3. Input additional information.
- 4. Tap **Save**.


#### Add a contact via contacts app

Search contacts	: 🙁	×	Create contact	Save
ACTS · DEVICE			<b>E</b>	
C Cheol Su Kim				
E Emma Jung		2	First name	~
G Gil Dong Hong	9		Last name	
P Point			Last name	
			Company	
		e	Phone	
			Label Vobile	

Enter the contact details and tap Save.

### **Contact detail**

Select a contact from the list to find more detail information.



Tap: to open advanced options such as delete, share, block, etc.

Figure 42 Contact advanced options

Delete Share Add to Home screen Set ringtone Route to voicemail Block numbers Help & feedback

### Message




Note: Message feature is only available on LTE SKU (SKU3 ~ 6). And it requires a SIM card.

Send a message or find the received message through Message application

- 1. Launch **Message** 🔁 from App drawer.
- 2. Tap Start Chat and type the receiver's name or phone number.

#### Figure 43 Message list




- 3. Input a message.
- 4. Tap  $\geqslant$  icon to send.

### **MTP Connection with PC**

To transfer the files with a PC, connect the device to the PC via USB cable first.

1. Drag down Status bar and tap **Android System** notification to change USB preference option.

Figure 44 USB connection notification



2. Change the option to File Transfer from No data transfer.

Figure 45 USB Preferences

÷	USB Preferences Q	
	USB	
	USB CONTROLLED BY	
0	Connected device	
۲	This device	
	USE USB FOR	
0	File Transfer	
0	USB tethering	
0	MIDI	
0	РТР	
۲	No data transfer	


3. Now PC can recognize the connected device. Find PM86 device from file explorer of the PC.

Figure 46 File explorer on PC

$\sim$ Devices and drives		
	PM86	

### Manage the Files


Figure 47 FileExplorer main screen



No	Description
1	Select media file type or storage
2	Search a file
3	Open the advanced option – Create a new window or folder, Select all files and folders, etc.
4	Change the view of file list
5	Tap a file or folder to open. Or long-press a file or folder to select

Long-press a file (folder) or tap the icon which is located beside of file name to select the file (folder).

Figure 48 FileExplorer screen when file selected



	Description		
No	Description		
1	Share the file via Bluetooth / Gmail / Google Drive, etc. (Sharing is possible only with files)		
2	Delete the files or folders		
3	<ul> <li>Open the advanced option</li> <li>Open with: Select which app to open the file</li> <li>Sort by: Sort the list by file name, size, type, etc.</li> <li>Select all: Select all files and folders</li> <li>Copy / Move to: Copy or move the file to a new location</li> <li>Compress: Create Zip file with the selected files or folders</li> <li>Rename: Rename the file or folder</li> <li>Get info: Display the file information</li> </ul>		
4	Selected file or folder is highlighted		

### Lock the Screen

Protect the device from unauthorized personnel by setting up the screen lock.

- 1. Navigate to Settings 🙆 > Security 🔂.
- 2. Tap Screen lock.

Figure 49 Screen lock

÷	Security Q
	SECURITY STATUS
$\odot$	Google Play Protect Apps scanned yesterday at 6:00 PM
	Security update February 5, 2023
0	Find My Device No Google account on this device
	DEVICE SECURITY
	Screen lock Swipe
	Smart Lock To use, first set a screen lock
	Device admin apps No active apps

- 3. Choose a screen lock method.
  - None: Screen unlocks immediately
  - Swipe: Swipe the lock screen to unlock (Default)
  - Pattern: Draw a pattern to unlock
  - PIN: Input a PIN to unlock (At least 4 digits)
  - Password: Input a password to unlock (At least 4 characters)

### Settings

There are two ways to go to Settings:

- Open the App drawer and tap Settings
- Open the Quick setting panel and tap gear icon (2)

### Adjust display brightness

To adjust the display brightness level,

- · Open Quick setting panel and adjust display brightness bar
- Go to Settings (2) > Display (2) > Brightness level

Ô

Figure 50 Normal brightness level Figure 51 High brightness level (higher than 80%)



*Caution:* Using high brightness levels for long periods may cause eye strain and increase battery consumption.

### **Adjust sound**

To adjust sound volume, go to **Settings** (3) > **Sound** (4) and control the Media, Call, Alarm volume bars.

Figure 52 Volume bars

←	Sound	Q
ď	Media volume	
C	Call volume	
4())ı	Ring & notification volume	
$\bigcirc$	Alarm volume	


Caution: Using high volume levels for long periods may cause ear strain and increase battery consumption.

### Adjust font size

If the font size of the screen is too small or too large, adjust the font size.

- 1. Go to Settings 🔕 > Display 🚯 > Advanced > Font size
- 2. Referring to the Preview, set the font size

Figure 53 Set font size



# **Using the Buttons**

### Screenshot

To take a screenshot, use one of the two ways as below.

- Press and hold **Power button + Volume down button** simultaneously.
- Press and hold the power button, and then tap **Screenshot** among the power menus.

The screenshot image will be saved to **Pictures > Screenshots** folder in the internal storage.

### **Program buttons**

Most buttons on the PM86 except power button can be optimized as you want. To map the button to other functions from default,

- 1. Navigate to EmKit 🍿 > Program Buttons 🛅
- 2. Tap SMART REMAP. And press a button you want to remap.

Figure 54 Program buttons - button list

Program	n Buttons	(
PROPERTIES	DEFINITION	ADVANCED
5	SMART REMA	Р
SCANNER_R		DoScan
SCANNER_L		DoScan
SCANNER_B		DoScan
VOLUME_UP		VolumeUp
VOLUME_DOW	N	VolumeDown

B


Note: SCANNER\_B indicates the trigger button on the gun handle.

- 3. Choose a behavior you want to use among the tabs.
- 4. Tap **APPLY**.

# Camera

To use the camera, open App drawer and tap Camera application o.

Figure 55 is a main screen of Camera application, and Figure 56 is a screen that is displayed when you swipe the screen to right.



No	Name	Description
1	Focus zone	You can change the focusing area by touching the other area
		💐 : Set timer
2	2 Advanced camera option	: Display the grid on the screen
2		FA : Set flash mode (Activate / Deactivate / Auto mode)
		📮 / 📮 : Switch the camera (Front / Rear)
3	Shutter button	Take a picture or recode a video
4	Mode change button	Change the Camera or Video mode
5	Advanced camera setting	Set resolution & quality of picture Enable / Disable saving location and manual exposure



Note: Front camera is not embedded in SKU1, 2, 3.

Scanner is placed on the top of the PM86. Optimize the scanner settings for working environment and improve the efficiency.

### Turn on / off the Scanner

The scanner is turned off by default. To turn on the scanner, follow the steps.

- 1. Go to EmKit 📦 or Settings 🔯 and tap ScanSettings.
- 2. Tap toggle button to turn on/off the barcode scanner.
- 3. Check if the scanner icon  $\fbox$  is placed on Status bar.

Figure 57 Turn on scanner

2:34	a 🎹 🗸 100%
ScanSettings	
On	•
Basic	
Options	
Notification	
Wedge	
Symbologies	
About	

### **ScanSettings**

When the scanner is turned on, scanner setting menus will be displayed. ScanSettings consists of

- Basic
- Options
- Notification
- Wedge
- Symbologies
- About

### Basic

Control the scanning options and wedge mode options.

- 1. Scanning
  - Change the scanner's trigger timeout and set scan mode (single / auto / continuous scan).
  - Enable or disable the TouchScan, which is a software scanner button. Place a scan icon in any position and tap the icon to read a barcode.

Figure 58 ScanSettings - Basic		Figure 59 ScanSettings - TouchSca	
Basic		Basic	
On	••	On 🔴	
Scanning Trigger timeout(sec)		Number of barcodes to scan 4	
10 seconds Enable single scan	•	Separator of each barcode US	
Single scan mode One Shot decoding		Enable TouchScan	
Enable auto scan		Small	
Auto scan interval(sec) 1 second		Always trigger enable	
Stop auto scan with scan button	•	Result type Clipboard (KEYCODE_PASTE)	
Enable continuous scan		Terminator None	
Enable multiple barcodes one by one	(m)		

50 © 2023 Point Mobile Co., Ltd. All rights reserved

- 2. Wedge mode
  - Change the result type of decoded data among the below list.
    - User Message
    - Keyboard Event (Multiple)
    - Keyboard Event (Single)
    - Clipboard (KEYCODE\_PASTE)
    - Clipboard (Ctrl + V)
    - Intent Broadcast
    - Custom Intent
  - Set Terminator as,
    - None
    - Space
    - Tab
    - LF
    - Tap & LF

#### **Options**

• Enable / Disable the center window, Aimer, Illumination.

Figure 60 ScanSettings - Options

Options
On 🤍
Options Enable center window
Center window tolerance 50
Decode mode Standard
Delay before decoding(sec) 0 seconds
Inverse 1D mode Regular Type Only

### **Notification**

Control the beep sound, LED and vibration option when scanning the barcode.

Figure 61 ScanSettings - Notification

Notification
On 🦲
Веер
Enable beep
Media volume
Good read Default(ScanSuccess.wav)
Bad read Default(ScanFail.wav)
LED
Enable LED

### Wedge

Set below items in Wedge settings

- Barcode ID
- AIM ID
- Group separator
- Prefix
- Suffix
- Character set
- Extended Wedge

#### Figure 62 ScanSettings - Wedge

Wedge
On 🤍
Label
Prefix
Suffix
Character set
Charset UTF-8
Extended wedge
Enable extended wedge
Configuration extended wedge

#### Extended wedge

PM86 supports Extended wedge that allows to edit the decoded data. Tap **Enable extended wedge** toggle switch and then set a rule in **Configuration extended wedge**.

Figure 63 ScanSettings - Extended wedge

Extended wedge
Enable extended wedge
Configuration extended wedge

For example, make a rule that add a string "*Point Mobile*" at the start of decoded data whenever decoding CODE128.

1. Tap **Style** (1) and select **Condition** (2).

Figure 64 Extended wedge example\_1

Extended wedge
On 🦲
0: Style0 1
Delete
Rename
Condition 2
Actions
Up
Down
ADD

#### 2. Tap Symbologies and select CODE128 among the symbologies.

Figure 65 Extended wedge example\_2

Condition - Style0	Symbologies - Conditi	on
On 🌑	On	
Symbologies	AZTEC	
Symbologies	CODABAR	
Data length Data length	CODE 11	
0	CODE 128	
String position	CODE 39	
String	CODE 93	
Position 0	COMPOSITE A/B	
	DATAMATRIX	
	EAN 8	
	ENABLE ALL	DISABLE ALL


3. Tap **Style** (1) and select **Actions** (2).

Figure 66 Extended wedge example\_3

Extended wedge
On 🦲
0: Style01
Delete
Rename
Condition
Actions 2
Up
Down
ADD

4. Tap ADD and select Move to start to point the start of the decoded data.

Figure 67 Extended wedge example\_4




5. Add another action of which action type is Send string. Set value as "Point Mobile".

Figure 68 Extended wedge example\_5

Actio	1 - Style0	
On		
Action		
Action Send str	ing	
Order		
Order 0		
Value		
Value Point Mo	obile	

6. "Point Mobile" string will be added to decoded CODE128 data.



### **Symbologies**

Enable or disable the specific symbology or set detail options. By tapping each symbology name to access detail options.

Figure 69 ScanSettings - Symbologies

Symbologies		
On		
AZTEC	•	
CODABAR		
CODE 11		
CODE 128		
CODE 39		
CODE 93		
COMPOSITE A/B		
ENABLE ALL	DISABLE ALL	

### About

Find the scanner information or restore the scanner settings to default.

Figure 70 ScanSettings - About

About	
On	
Scanner	
Scanner type N6703 2D Imager	
Scanner revision API Revision: 2021.06.920 Decoder Revision: 2020.2.9665 ScanDriver Revision: 2.278M Firmware Version: 1.50	
Application	
ScanSettings version 2.16.12	
Data	

### Scan a Barcode

Point the scanner at the barcode and press the scan button on the device or gun handle. If another button is set as scan trigger using Program buttons (Refer to <u>Use the Buttons – Program buttons</u>), it can trigger the scan action, too.




Note:

If you set the single scan mode as Press decoding or Release decoding, it may require another button pressing mechanism to trigger scanning. Refer to <u>Single Scan Mode article</u> for more detail.

### N3603, N6703 Scanner SKU (SKU1 ~ 4, SKU6)

Center the cross-hair laser aimer over the barcode. The barcode must be within the square made by the edge of the aimer. You can tilt the aimer slightly for a comfortable angle to scan.



### N6803FR Scanner SKU (SKU5)

Center the red dot aimer over the barcode.

Figure 72 Aiming barcode (N6803FR)



### ScanDemo

Using ScanDemo app, demonstrate scanning feature.

- 1. Execute EmKit 鄃 > ScanDemo 🥅.
- 2. Scan a barcode by pressing the scan button on the device or tapping **Start scan** button on the screen.
- 3. Find scan result

Figure 73 ScanDemo

🕞 ScanDemo	1	x	í
Type : CODE 128 Result : 1234567890			
Record : Success Count :: 1 Success Time :: 38 Avg Time :: 38 ms Min/Max Time :: 33	8 ms	ms	
Continuous Scan	☐ Save ✓ Beep		
Start s	scan		

### **Mobile Network**



**Note:** Mobile network is supported on PM86 LTE SKU (SKU 3 ~ 6) only. Check if your PM86 is LTE SKU.

To connect mobile network, SIM card is required. Insert SIM card into PM86 first referring Install SD & SIM & SAM cards.

After inserting the SIM card, reboot the device. When network is connected, a network icon will be appeared on the status bar.





Find network information and adjust the network settings in **Settings** (2) > **Network & internet** (2) This setting menu can also be accessed by long-press the Mobile data icon in Quick setting panel.





Figure 76 Quick setting panel - mobile network



### Wi-Fi

To turn on and connect a Wi-Fi,

- 1. Go to Settings 🔯 > Network & internet 🛜 > Wi-Fi.
- 2. Tap toggle button to enable Wi-Fi.
- 3. Device searches for nearby Wi-Fi signals and lists them in order of signal strength.
- 4. Select a Wi-Fi SSID to connect.
- 5. The message **Connected** under the SSID means the device complete to connect to the Wi-Fi.

Figure 77 Wi-Fi connected





**Note:** There are Open Wi-Fi network and Secured Wi-Fi network. You can tell those apart by lock icon ( ) in the nearby Wi-Fi list.

To connect the secured Wi-Fi network, you need to enter the password.

Figure 79 Open Wi-Fi Network

Open Wi-Fi

Network	Figure 78 Secured Wi-Fi Network	Figure 78 Secured Wi-Fi Network		
	Secured Wi-Fi	ð		

If there is a saved Wi-Fi network, simply turn on the Wi-Fi through the Quick setting panel. The saved network will be connected automatically.

Figure 80 Wi-Fi in Quick setting panel



### Bluetooth

### Turn on / off

Bluetooth is turned off as default. There are two ways to turn on the Bluetooth,

- Open quick setting panel and enable Bluetooth **\*** 

Figure 81 Bluetooth in Quick setting panel



- Go to Settings (2) > Connected devices (3) > Pair new device

### **Pair and Connect**

To connect with a new device,

- 1. Go to Settings 🔯 > Connected devices 🗔.
- 2. Tap Pair new device.

(Bluetooth will be turned on automatically)

3. Select the device you want to pair among Available devices list.

Figure 82 Bluetooth available devices



4. Follow instructions on the screen (Pairing code or pairing confirmation dialog) and tap PAIR.

5. When the connection is succeeded, the connected device name is listed on the top of the screen.

Figure 83 Bluetooth currently connected



To connect a device previously connected, select the device name from the **PREVIOUSLY** 

#### **CONNECTED DEVICES** list.

Figure 84 Previously connected devices

÷	Connected devices	Q
+	Pair new device	
PREVIO	DUSLY CONNECTED DEVICES	
•	Bluetooth Device 1	٤
>	See all	
Connection preferences Bluetooth, Android Auto, NFC		

### **Unpair and Disconnect**

To unpair the device, select the name of the device you want to unpair from **CURRENTLY CONNECTED** list and tap **FORGET I**.

Or tap **DISCONNECT** × to disconnect only and not unpair.

Figure 85 Forget device

÷	Device	details	1	۹
		8		
Bluetooth Device 1				
	D FORGET	DIS	X CONNEC	т

#### Change the Bluetooth device details

Select a device name from the top list or tap 🕸 icon next to the device name from **PREVIOUSLY CONNECTED DEVICES** list.

Figure 86 Bluetooth device detail

←	Connected devices	Q
 OTHER	DEVICES	
•	Bluetooth Device 2	
+	Pair new device	
PREVIO	USLY CONNECTED DEVICES	
•	Bluetooth Device 1	۲
>	See all	
	ction preferences th, Android Auto, NFC	

If no devices are listed under the **PREVIOUSLY CONNECTED DEVICES**, tap See all.

- To change the device's name, tap 🧪 on the top of the screen
- Turn other settings on or off (Available on some devices)

### **BLE Beacon**

The PM86 integrates the BLE beacon that can transmit BLE signal up to **20 days** while it is powered off and without the main battery.


This transmission duration is based on the default BLE beacon settings and it can be increased or reduced by adjusting transmit power and interval.

### NFC

PM86's NFC antenna is located on the rear-top side of the device. Bring the NFC tag close to the antenna location as Figure 88.

NFC feature is enabled by default. But if NFC does not work, make sure the NFC I is enabled from the Quick setting panel.

Figure 87 PM86 NFC tapping area





### **System Information**

There are two ways for checking system information, on settings and on EmKit.

### **On Settings**

Go to **Settings** (2) > **About phone** (1). Following information can be found.

- Device name
- Phone number
- Emergency information
- Legal information & Certificates
- Model & SIM status
- Hostname
- IMEI
- Android version
- IP address
- Wi-Fi MAC address
- Bluetooth address
- Build number

### On EmKit

Go to **EmKit** (*if*) > **System Information** (*i*). Following information can be found.

- Processor information
- Version information (Android version, OS image version, SDK version, etc.)
- Manufacturer information (Serial number, Part number, etc.)
- Device information (Scanner, Audio, Display, etc.)
- Battery information (Battery charging status, etc.)
- App version information (Version of EmKit apps)

### **Check Device Health**

EmHealthReport is a solution that provides the device's battery and eMMC health.

Monitor the battery and eMMC status to foresight their lifetime or find the cause when there is a battery problem such as cannot charge the device or rapid battery discharge.

To use, open **EmKit** and launch **EmHealthReport** (3). You can see the simple device health information on the main screen. To find detailed information, tap each blue arrow on the right side of the screen.

Figure 89 EmHealthReport

	EmHealthReport	i
	Battery Health	5
Batte	ery Age Good	
Batte	ery Serial Number GS213806	
	eMMC Health	
eMM	C Health Normal	

- Battery Health
  - Battery Level
  - Battery Age
  - Battery Voltage
  - Battery Temperature
  - System Temperature
  - Battery Manufacture Date
  - Battery Serial Number
  - Smart Charging Mode

- eMMC Health
  - Pre-EOL Information
  - Device life time estimation type A
  - Device life time estimation type B

### **OS Update**

Periodic update improves the performance of the device. Point Mobile provides up-to-date OS version via Service Portal and FOTA. Update the device via storage, OTG port, and FOTA server. Depending on the workspace environment, choose more suitable method.



Notice: Please backup your data before starting the update process.

#### OS update via storage

To update the OS using storage,

- 1. Download an OS image file into the root folder of microSD card or device internal storage
- 2. (In case of using SD card) Insert SD card to the device and then turn the device on
- 3. Go to Settings (2) > System (1) > Advanced > System Update
- 4. Check if the OS image file shows up under AVAILABLE VERSIONS

Figure 90 OS update via storage



5. Tap UPDATE to start the update process



**Note:** If the OS image file doesn't show up in **AVAILABLE VERSIONS**, check the file is placed in the root folder of storage. System only can recognize the file in the root folder.

### OS update via OTG port

PM86 supports the USB OTG feature.

- 1. Prepare a formatted USB flash drive for OS update
- 2. Copy an OS image file to the root folder of the flash drive
- 3. Connect the flash driver to the PM86
- 4. Go to Settings (2) > System (1) > Advanced > System Update
- 5. Check if the OS image file shows up under AVAILABLE VERSIONS
- 6. Tap UPDATE to start the update process

#### **OS update via FOTA**

If PM86 can connect to a network, use the FOTA server for the update.

- 1. Connect the device with a network
- 2. Go to Settings (2) > System (1) > Advanced > System Update
- 3. Tap FOTA tab or Swipe left to move to FOTA tab
- 4. If there is an OS version newer than device's one, the server shows the new OS information

Figure 91 OS update via FOTA

System Updates		G	٠	(
		FO	ΤΑ	
AVAILABLE VERSIONS 86.00A24 (Mar 23 2023)	ready			
* Release Note PM86 Release note				i
Download size : 1417 MB		DO	WNLOA	D

- 5. Tap Download
- 6. Tap OK on the OS Update dialog to start to download the OS image file
- 7. To complete the update, rebooting is required.

Tap OK on the Restart required dialog to restart the device



Note: Basically, OS update via FOTA works over Wi-Fi or Ethernet only.

To enable the OS update over Mobile Network too, uncheck the setting value in FOTA Settings. Downloading over the Mobile network may result in additional charges.

Figure 92 FOTA Settings

System Updates	G 🏟 🛈	
STORAGE	FOTA	
AVAILABLE VERSIONS		
86.00A24 (Mar 23 2023)	Settings	
. New OS Image is ready	Download over the Download OS image o network environment	ver the Wi-Fi or Ethernet 🛛 🗹

### **Factory Data Reset**

When PM86 work abnormal or there is a need to reset the device, follow the steps below to perform a factory data reset.




*Caution*: Factory data reset will erase all personalized settings and data saved in the device, such as Google account, apps, user data, etc. And factory data reset cannot undo.

### Factory data reset via Settings app

If the device can be turned on and access Settings,

- 1. Navigate to Settings ( > System ( ) > Advanced > Reset options
- 2. Tap Erase all data (factory reset)
- 3. After being aware that factory reset will erase all data from the internal storage, tap Erase all data

Figure 93 Factory data reset




4. Tap Erase all data again to start the factory reset process

#### Factory data reset via recovery mode

If device works abnormal so does not turn on, try to perform factory data reset through Android recovery mode.

1. Press and hold **power button + Volume Up** buttons simultaneously when PM86 is turned off.

Figure 94 Key combination for recovery mode



- 2. After short vibration, release the power button
- 3. Using the buttons below, select Wipe data/factory reset
  - Move up/down Volume up/down
  - Select the menu Power button
- 4. Select Factory data reset.
- 5. After wiping the data, select Reboot system now

# Accessories

PM86 supports below accessories. All accessories except hand strap are sold separately.

Category	Accessory Name	Usage
Hand strap	Hand strap	Carries PM86 easily
Gun handle	Gun handle	Provides an ergonomic trigger button
	SSC (Single Slot Cradle) / SEC (Single Slot Ethernet Cradle)	Charges one PM86 and one PM86 battery Provide USB type C port or ethernet port
Charging cradle	PM85 2SC (2 Slot Cradle)	Charges two units of PM86 (Compatible with PM85)
	4SBC (4 Slot Battery Cradle)	Charges up to four pieces of PM86's batteries

# **Safety Information**

### **Battery Safety Information**

Follow the battery safety guidelines for safe usage, storage, and disposal of Li-ion batteries. Improper battery use may result in a fire, explosion, or other critical hazards.

#### **Battery Safety Guidelines**

- Use only Point Mobile approved batteries and charging accessories. Other batteries and chargers may damage the device or result in a fire, leakage, or other hazards.
- Do not expose the battery to excessive heat or cold.
- Do not use or store the battery in or near areas that might get very hot, such as in a parked vehicle, near a heat duct or close to other heat sources.
- Do not allow objects that may cause a short circuit, such as metal objects, corrosive substances, or liquids like water, to contact the battery.
- Do not disassemble, crush, bend, shred, press, or other actions that may damage or deform the battery.
- Do not use or replace the battery on the go or from a high location. Dropping may result in an explosion or fire.
- Do not put any labels, stickers, tags, etc. on the device or battery. Performance of the device or battery, such as sealing, drop, or tumble, could be affected.
- Close supervision is necessary when used near children to avoid the risk of injury.
- If battery leakage is observed, avoid any contact with the skin or eyes and properly dispose of the battery. If contact has been made, wash the affected area with water for 15 minutes and seek medical advice.
- If you notice any type of damage to the battery, such as swelling, dents, and leaks, stop using it immediately and contact Point Mobile.

#### **Battery Charging Guidelines**

- Charge the battery in a clean, cool, dry, and ventilated environment.
- Separate the charger from the battery as soon as possible when the battery is fully charged.
- Battery performance can degrade due to the stress of daily charging and discharging. Batteries
  typically need to be replaced after 300 to 500 charging cycles (full charge-discharge cycles) or
  when the battery capacity has been reduced to 70 ~ 80% of its original capacity. The actual
  number of charging cycles varies based on usage patterns, temperature, age, and other factors.

# **Safety Information**

#### **Battery Storage / Disposal Guidelines**

- Store the batteries in a clean, dry and ventilated environment within ambient temperature ranges of 20±5°C.
- For safety regulations, batteries are charged to below 20~30% of full capacity during production.
- When not using batteries for a long period, charge the battery for 30 minutes to 1 hour at least once every 6 months to prevent full discharge and keep the performance.
- Batteries should be stored separately when storing for long periods. Disconnect from any device, charger, or cradle.
- Dispose of used batteries promptly according to local disposal regulations.
- Do not dispose of the battery in fire. It may cause explosion.



**Notice:** The battery is consumable. Point Mobile provides a warranty for the battery for 12 months after purchase.

If you suspect the battery swelling, change the battery immediately and contact Point Mobile.



### Point Mobile. Co., Ltd.

#### Offline

Tel: +82-2-3397-7870~1 ARS: +82-1800-3010 Fax: +82-2-3397-7872 Address: 9F Kabul Great Valley, 32, Digital-ro 9-gil, Geumcheon-gu, Seoul, Korea 08512

#### Online

Website: https://www.pointmobile.com E-mail: pm\_support@pointmobile.com